Printing date 16.01.2023 Version number 1 Revision: 16.01.2023

- · 1.1 Product identifier
- · Trade name: Protectasept Desinfektionstücher
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC8 Biocidal products
- · Application of the substance / the mixture Disinfectant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hersteller: PRISMAN GmbH Otto-Hahn-Ring 6-18 64653 Lorsch Deutschland

Vertrieb durch:

MCD Medical Care Dental GmbH

Heinrich-Hertz-Str. 7 50181 Bedburg

Deutschland / Germany

· Further information obtainable from:

Abteilung Produktsicherheit Alexander.Metz@prisman.de

· 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Sol. 1 H228 Flammable solid.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H228 Flammable solid.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves / eye protection.

P404 Store in a closed container.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 16.01.2023 Version number 1 Revision: 16.01.2023

Trade name: Protectasept Desinfektionstücher

		(Contd. of page			
· Dangerous components:					
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol	(b) Flam. Liq. 2, H225 25-50%			
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol	© Flam. Liq. 2, H225 Eye Dam. 1, H318 © STOT SE 3, H336			

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Take affected persons into fresh air and keep quiet.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

A person vomiting while laying on their back should be turned onto their side.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

(Contd. on page 3)

Printing date 16.01.2023 Version number 1 Revision: 16.01.2023

Trade name: Protectasept Desinfektionstücher

(Contd. of page 2)

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Use only in well ventilated areas.

#### Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Highly volatile, flammable constituents are released during processing.

Fumes can combine with air to form an explosive mixture.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

## Further information about storage conditions:

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Do not store at temperatures exceeding 40°C

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

#### 71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm

Sk

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 16.01.2023 Version number 1 Revision: 16.01.2023

Trade name: Protectasept Desinfektionstücher

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

- · For the permanent contact gloves made of the following materials are suitable: Neoprene gloves
- · As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR Butyl rubber, BR

· Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid · Colour: White · Odour: Alcohol-like · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

78 °C range

· Flammability Not determined.

· Lower and upper explosion limit

· Lower: 3.5 *Vol* % (*liquid*) · Upper: 15 Vol % (liquid) · Flash point: 25 °C (liquid) 425 °C Ignition temperature: · Decomposition temperature: Not determined. · pH at 20 °C <10 (liquid)

· Viscosity:

Kinematic viscosity Not applicable. · Dynamic: Not applicable.

·Solubility

Partly soluble. · water: Not determined. · Partition coefficient n-octanol/water (log value) 59 hPa

· Vapour pressure at 20 °C:

· Density and/or relative density

Density at 20 °C:  $0.91 \text{ g/cm}^3$  (liquid) Not determined. · Relative density Not applicable. · Vapour density

· 9.2 Other information

· Appearance:

· Form: Liquid on inert carrier material

· Important information on protection of health and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

Organic solvents: 51 % (liquid)

(Contd. on page 5)

 Printing date 16.01.2023
 Version number 1
 Revision: 16.01.2023

Trade name: Protectasept Desinfektionstücher

		(Contd. of page
Water:	<50 % (liquid)	
· VOC (EC)	51 % (liquid)	
Change in condition	, ,	
· Evaporation rate	Not applicable.	
Information with regard to physical hazard	classes	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Flammable solid.	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:  ATE (Acute Toxicity Estimates)		
Oral Oral	LD50	23,375 mg/kg
64-17-5 et	hanol	
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (rat)
71-23-8 pr	opan-1-ol	
Oral	LD50	5,400 mg/kg /male (rat)
Dermal	LD50	4,032 mg/kg (rabbit)
Inhalative	LC50/4 h	>33.8 mg/l /4h (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 16.01.2023 Version number 1 Revision: 16.01.2023

Trade name: Protectasept Desinfektionstücher

(Contd. of page 5)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Sensitisation Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	Aquatic toxicity:				
64-17-5 ethanol					
EC50	>10,000 mg/kg (daphnia)				
EC50	275 mg/l (A)				
	>10,000 mg/l (daphnia)				
LC50/96h	15,300 mg/l (fish)				
LC50/48h	5,012 mg/l (daphnia)				
71-23-8 pr	opan-1-ol				
EC50	1,000 mg/l (Bel)				
	3,644 mg/l (daphnia)				
LC50/96h	4,555 mg/l (fish)				

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 7)

Printing date 16.01.2023 Version number 1 Revision: 16.01.2023

Trade name: Protectasept Desinfektionstücher

(Contd. of page 6)

 $\cdot \textit{Recommended cleansing agents:} \ \textit{Water, if necessary together with cleansing agents.}$ 

14.1 UN number or ID number ADR, IMDG, IATA	UN3175
14.2 UN proper shipping name ADR	3175 SOLIDS CONTAINING FLAMMABLE LIQUIL N.O.S. (ETHANOL (ETHYL ALCOHOL), n-PROPANO
IMDG	(PROPYL ALCOHOL, NORMAL)) SOLIDS CONTAINING FLAMMABLE LIQUID, N.O (ETHANOL (ETHYL ALCOHOL), n-PROPANO (PROPYL ALCOHOL, NORMAL))
IATA	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O (ETHANOL, n-PROPANOL (PROPYL ALCOHO) NORMAL))
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	4.1 Flammable solids, self-reactive substance polymerizing substances and solid desensitize explosives
Label	4.1
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable solids, self-reactive substance polymerizing substances and solid desensitize explosives
Hazard identification number (Kemler code): EMS Number:	40 F-A,S-I
14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
Transport/Additional information:	1.0
ADR	
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
IMDG Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

Printing date 16.01.2023 Version number 1 Revision: 16.01.2023

Trade name: Protectasept Desinfektionstücher

(Contd. of page 7)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

GHS label elements

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H228 Flammable solid.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves / eye protection.

P404 Store in a closed container.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

- · Recommended restriction of use Product only for professional use
- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact: Hr. Dr. Metz
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Sol. 1: Flammable solids - Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· \* Data compared to the previous version altered.